

AMENDED

Nº 26942

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... SEP 1 1972  
 Returned to applicant for correction..... NOV 3 1972  
 Corrected application filed..... DEC 29 1972  
 Map filed..... DEC 29 1972

The applicant Richard A. Carlyon, Jr.  
 of 1000 Sharrow Way, County of Carson City,  
 State of Nevada 89701, hereby make<sup>s</sup> application for permission to appropriate the public  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
 tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground  
Name of stream, lake or other source.
2. The amount of water applied for is 0.5 c.f.s. second-feet  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet..... acre-feet
3. The water to be used for commercial and domestic  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated).....
  - (b) Stockwater (state number and kinds of animals to be watered).....
  - (c) Other use (describe fully under "No. 12. Remarks").....
  - (d) Power:
    - (1) Horsepower developed.....
    - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: in the NW¼ NE¼ of Section  
15, T. 15 N., R. 20 E., M.D.B. & M., or at a point from which the  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
North ¼ corner of said Section 15 bears N. 1°36'00" W. a distance of  
it should be stated. 1294.97 feet.
6. Place of use W¼ NE¼ Section 15, T. 15 N., R. 20 E., M.D.B. & M.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1 and end about December 31, of each year.  
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans  
 and specifications of your diversion or storage works.) well, storage tank and pipe lines

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$10,000.
10. Estimated time required to construct works.....5 years
11. Estimated time required to complete the application to beneficial use.....
12. Remarks Well, tank and pipe lines now complete and serving commercial business (Spray Baby). Commercial and business development in the future will utilize the balance of the available area.

Applicant Richard Carlyon

By s/ Ernest E. Muller, Sr.  
Ernest E. Muller, Sr., SWRS 273  
750 W. Pueblo St.  
Reno, Nevada 89502

Compared 1k/bs  
1k/bs  
~~FORFEITED~~

~~RULING NO.~~ *BY W/CO*  
DATE MAY 07 1998

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipe line near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.03 cubic feet per second, but not to exceed 5.475 million gallons annually.

Actual construction work shall begin on or before January 9, 1974

Proof of commencement of work shall be filed before February 9, 1974

Work must be prosecuted with reasonable diligence and be completed on or before January 9, 1975

Proof of completion of work shall be filed before February 9, 1975

Application of water to beneficial use shall be made on or before January 9, 1976

Proof of the application of water to beneficial use shall be filed on or before February 9, 1976

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed FEB 13 1974

Completion of work filed FEB 24 1975

Proof of beneficial use filed MAR 3 1974

Cultural map filed

Certificate No. 9081 Issued 7-23-77

Recorded Bk. Page

County Recorder

IN TESTIMONY WHEREOF, IROLAND D. WESTERGARD,  
State Engineer of Nevada, have hereunto set my hand and the seal of  
my office, this 9th day of July

A.D. 1973

*Iroland D. Westergard*  
State Engineer